


No.



9300185

# THE UNITED STATES OF AMERICA

TO ALL TO WHOM THESE PRESENTS SHALL COME:

*Northrup King Co.*

Whereas, THERE HAS BEEN PRESENTED TO THE

Secretary of Agriculture

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED DISTINCT VARIETY OF SEXUALLY REPRODUCED, OR TUBER PROPAGATED, PLANT, THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW IN SUCH CASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH, AND THE TITLE THERETO IS, FROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE, IN THE APPLICANT(S) INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANT(S) IS (ARE) ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANT VARIETY PROTECTION UNDER THE LAW.

NOW, THEREFORE, THIS CERTIFICATE OF PLANT VARIETY PROTECTION IS TO GRANT UNTO THE SAID APPLICANT(S) AND THE SUCCESSORS, HEIRS OR ASSIGNS OF THE SAID APPLICANT(S) FOR THE TERM OF TWENTY YEARS FROM THE DATE OF THIS GRANT, SUBJECT TO THE PAYMENT OF THE REQUIRED FEES AND PERIODIC REPLENISHMENT OF VIABLE BASIC SEED OF THE VARIETY IN A PUBLIC REPOSITORY AS PROVIDED BY LAW, THE RIGHT TO EXCLUDE OTHERS FROM SELLING THE VARIETY, OR OFFERING IT FOR SALE, OR REPRODUCING IT, OR IMPORTING IT, OR EXPORTING IT, OR CONDITIONING IT FOR PROPAGATION, OR STOCKING IT FOR ANY OF THE ABOVE PURPOSES, OR USING IT IN PRODUCING A HYBRID OR DIFFERENT VARIETY THEREFROM, TO THE EXTENT PROVIDED BY THE PLANT VARIETY PROTECTION ACT. (84 STAT. 1542, AS AMENDED, 7 U.S.C. 2321 ET SEQ.)

SOYBEAN

'S30-06'

*In Testimony Whereof, I have hereunto set my hand and caused the seal of the Plant Variety Protection Office to be affixed at the City of Washington, D.C. this thirty-first day of August in the year of our Lord one thousand nine hundred and ninety-five.*

Attest:

*ASA*  
Acting Commissioner  
Plant Variety Protection Office  
Agricultural Marketing Service

*Jan F. Whitman*  
Secretary of Agriculture

U.S. DEPARTMENT OF AGRICULTURE  
AGRICULTURAL MARKETING SERVICE

APPLICATION FOR PLANT VARIETY PROTECTION CERTIFICATE

(Instructions on reverse)

Application is required in order to determine if a plant variety protection certificate is to be issued (7 U.S.C. 2421). Information is held confidential until certificate is issued (7 U.S.C. 2426).

1. NAME OF APPLICANT(S) (as it is to appear on the Certificate) Northrup King Co.		2. TEMPORARY DESIGNATION OR EXPERIMENTAL NO. X9230, M260326	3. VARIETY NAME S30-06
4. ADDRESS (street and no. or R.F.D. no., city, state, and ZIP) P. O. Box 949 Washington, Iowa 52353-0949 Attention: Dr. John C. Thorne		5. PHONE (include area code) 319-653-6645	FOR OFFICIAL USE ONLY PVPO NUMBER 9300185
6. GENUS AND SPECIES NAME Glycine max	7. FAMILY NAME (Botanical) Leguminosae	8. FILING AND EXAMINATION FEE Filing and Examination Fee: \$ 2325.00 Date March 31, 1993	9. DATE OF DETERMINATION November, 1987
10. IF THE APPLICANT NAMED IS NOT A "PERSON," GIVE FORM OF ORGANIZATION (Corporation, partnership, association, etc.) Corporation	11. IF INCORPORATED, GIVE STATE OF INCORPORATION Delaware	12. DATE OF INCORPORATION 1976	13. NAME AND ADDRESS OF APPLICANT REPRESENTATIVE(S), IF ANY, TO SERVE IN THIS APPLICATION AND RECEIVE ALL PAPERS Dr. John C. Thorne Northrup King Co. P. O. Box 949 Washington, Iowa 52353-0949 PHONE (include area code): 319-653-6645
14. CHECK APPROPRIATE BOX FOR EACH ATTACHMENT SUBMITTED (Follow INSTRUCTIONS on reverse)			
a. <input checked="" type="checkbox"/> Exhibit A, Origin and Breeding History of the Variety. b. <input checked="" type="checkbox"/> Exhibit B, Novelty Statement. c. <input checked="" type="checkbox"/> Exhibit C, Objective Description of Variety. d. <input type="checkbox"/> Exhibit D, Additional Description of Variety. e. <input checked="" type="checkbox"/> Exhibit E, Statement of the Basis of Applicant's Ownership. f. <input checked="" type="checkbox"/> Seed Sample (2,500 viable untreated seeds). Date Seed Sample mailed to Plant Variety Protection Office _____ g. <input checked="" type="checkbox"/> Filing and Examination Fee (\$2,150) made payable to "Treasurer of the United States."			
15. DOES THE APPLICANT(S) SPECIFY THAT SEED OF THIS VARIETY BE SOLD BY VARIETY NAME ONLY AS A CLASS OF CERTIFIED SEED? (See section 83(a) of the Plant Variety Protection Act.) <input type="checkbox"/> YES (If "YES," answer items 16 and 17 below) <input checked="" type="checkbox"/> NO (If "NO," skip to item 18 below)			
16. DOES THE APPLICANT(S) SPECIFY THAT THIS VARIETY BE LIMITED AS TO NUMBER OF GENERATIONS? <input type="checkbox"/> YES <input checked="" type="checkbox"/> NO		17. IF "YES" TO ITEM 16, WHICH CLASSES OF PRODUCTION BEYOND BREEDER SEED? <input type="checkbox"/> FOUNDATION <input type="checkbox"/> REGISTERED <input type="checkbox"/> CERTIFIED	
18. DID THE APPLICANT(S) PREVIOUSLY FILE FOR PROTECTION OF THE VARIETY IN THE U.S. <input type="checkbox"/> YES (If "YES," through <input type="checkbox"/> Plant Variety Protection Act <input type="checkbox"/> Patent Act. Give date. _____) <input checked="" type="checkbox"/> NO			
19. HAS THE VARIETY BEEN RELEASED, USED, OFFERED FOR SALE, OR MARKETING IN THE U.S. OR OTHER COUNTRIES? <input type="checkbox"/> YES (If "YES," give names of countries and dates) <input checked="" type="checkbox"/> NO			
20. The applicant(s) declare(s) that a viable sample of basic seeds of this variety will be furnished with the application and will be replenished upon request in accordance with such regulations as may be applicable. The undersigned applicant(s) is (are) the owner(s) of this sexually reproduced novel plant variety, and believe(s) that the variety is distinct, uniform, and stable as required in section 41, and is entitled to protection under the provisions of section 42 of the Plant Variety Protection Act. Applicant(s) is (are) informed that false representation herein can jeopardize protection and result in penalties.			
SIGNATURE OF APPLICANT (Owner(s)) John C. Thorne		CAPACITY OR TITLE Soybean Research Director	DATE 3-22-93
SIGNATURE OF APPLICANT (Owner(s))		CAPACITY OR TITLE	DATE

## EXHIBIT A

## Origin and Breeding History of the Variety

The soybean variety 'S30-06' is derived from the cross 'A2943' x 'S23-12'. The cross was made in the summer of 1984 by the Northrup King Co. soybean research staff at Washington, Iowa. The F1 generation was grown at the Northrup King Co. Research Center at Waimea, Kauai, Hawaii during the winter of 1984-85. The F2 generation was grown in a field near Harcourt, IA in the summer of 1985; the F3 at Waimea during the winter of 1985-86, and the F4 at Harcourt in the summer of 1986. The F2, F3, and F4 generations were advanced by harvesting 2-4 seeds from each plant and planting a 600 seed sample from the bulk. In the fall of 1986 approximately 50 random plants were harvested and threshed individually. The progeny from these plants were grown in a 2 replication preliminary yield test at Washington in the summer of 1987. One of these, numbered M260326, was selected on the basis of yield and agronomic appearance and tested in a second year yield trial at 4 midwest locations in 1988. This line was subsequently tested under the temporary designation X9230 and named S30-06. It has been tested at several northern U.S. locations from 1989 to 1992 and found to yield well compared to other late Maturity Group II and early Group III cultivars. Descriptive traits including purple flowers, grey pubescence, and brown pods have been identified and confirmed. The hilum color genotype is grey with the normal variable phenotype associated with this type. S30-06 has been tested in the field for iron-deficiency chlorosis at test sites in Northern Iowa and Southern Minnesota in 1991 and 1992 and found to be intermediate compared to varieties of known reaction. It has been tested for reaction to Race 1 of Phytophthora megasperma using hypocotyl inoculation of greenhouse grown plants and found to be heterogenous for the Rps1-a gene for resistance.

In the winter of 1989-90, 300 seeds of S30-06 were planted at Waimea. At harvest, 100 plants were harvested and threshed individually and their progeny planted at Washington in the summer of 1990 to monitor variability and to produce Pedigree Seed. A few plants with white flowers or tawny pubescence were removed. These plants were assumed to have come from admixture or out-crossing. The other rows were uniform and were bulked to produce Pedigree Seed. This seed was planted in 1991 to produce Breeder Seed. The increase block was rogued carefully during flowering and at maturity.

Foundation Seed of S30-06 was produced in 1992. The Iowa Crop Improvement Association inspected the fields and found them to meet the standards for Foundation Seed. The National Soybean Variety Review Board approved the variety for Certification on December 10, 1992.

S30-06 is a stable and uniform variety except for the variation in hilum color and Phytophthora resistance mentioned previously. The

hilum color genotype is grey and like other cultivars with this genotype, the color may vary from dark grey (which may not be distinguishable from black) to very light grey (which may not be distinguishable from yellow, buff, or brown. Over five years of testing and three years of seed increase, no other variants have been observed. Any off-type plants which were removed from increase fields were assumed to have arisen from admixture or outcrossing.

Varietal purity will be maintained using progeny rows as described above as needed.

9300185

**EXHIBIT B****Novelty Statement for the Variety**

Soybean variety S30-06 is most similar to S30-41, S29-39, and A2943. It can be differentiated from these varieties on the basis of hilum color. S30-06 has seeds with gray hilum color conditioned by the genotype  $IIttRRW1W1$  (Qualitative Genetics and Cytogenetics, Reid G. Palmer and Thomas C. Kilen; in Soybeans: Improvement, Production, and Uses, Second Edition, J.R. Wilcox, ed., American Society of Agronomy Monograph, 1987). S29-39 and S30-41 have yellow hilum color conditioned by the genotype  $IIttrW1W1$ . A2943 has Imperfect black hilum color conditioned by the genotype  $iitRRW1W1$ . S30-06 was selected from the cross A2943 x S23-12. S23-12 has yellow hilum color and has the genotype  $IIttrW1W1$ . Thus, S30-06 has the I gene from S23-12 and the R gene from A2943.

08 SEP 30 1995

08 SEP 30 1995

U.S. DEPARTMENT OF AGRICULTURE  
 AGRICULTURAL MARKETING SERVICE  
 LIVESTOCK, MEAT, GRAIN & SEED DIVISION  
 PLANT VARIETY PROTECTION OFFICE  
 BELTSVILLE, MARYLAND 20705


EXHIBIT C  
 (Soybean)

OBJECTIVE DESCRIPTION OF VARIETY  
 SOYBEAN (*Glycine max* L.)

NAME OF APPLICANT(S) Northrup King Co.	TEMPORARY DESIGNATION X9230, M260326	VARIETY NAME S30-06
ADDRESS (Street and No., or R.F.D. No., City, State, and Zip Code) P. O. Box 949 Washington, Iowa 52353-0949 Attention: John C. Thorne		FOR OFFICIAL USE ONLY PVPO NUMBER 9300185

Choose the appropriate response which characterizes the variety in the features described below. When the number of significant digits in your answer is fewer than the number of boxes provided, place a zero in the first box when number is 9 or less (e.g., ).

## 1. SEED SHAPE:



1 = Spherical (L/W, L/T, and T/W ratios = < 1.2)  
 3 = Elongate (L/T ratio > 1.2; T/W = < 1.2)

2 = Spherical Flattened (L/W ratio > 1.2; L/T ratio = < 1.2)  
 4 = Elongate Flattened (L/T ratio > 1.2; T/W > 1.2)

## 2. SEED COAT COLOR: (Mature Seed)

1 = Yellow      2 = Green      3 = Brown      4 = Black      5 = Other (Specify) \_\_\_\_\_

## 3. SEED COAT LUSTER: (Mature Hand Shelled Seed)

1 = Dull ('Corsoy 79'; 'Braxton')      2 = Shiny ('Nebsoy'; 'Gasoy 17')

## 4. SEED SIZE: (Mature Seed)

Grams per 100 seeds

## 5. HILUM COLOR: (Mature Seed)

1 = Buff      2 = Yellow      3 = Brown      4 = Gray      5 = Imperfect Black      6 = Black      7 = Other (Specify) \_\_\_\_\_

Variable expression of hilum pigmentation

## 6. COTYLEDON COLOR: (Mature Seed)

1 = Yellow      2 = Green

## 7. SEED PROTEIN PEROXIDASE ACTIVITY:

1 = Low      2 = High

## 8. SEED PROTEIN ELECTROPHORETIC BAND:

1 = Type A (SP<sup>1a</sup>)      2 = Type B (SP<sup>1b</sup>)

## 9. HYPOCOTYL COLOR:

1 = Green only ('Evans'; 'Davis')      2 = Green with bronze band below cotyledons ('Woodworth'; 'Tracy')  
 3 = Light Purple below cotyledons ('Beeson'; 'Pickett 71')  
 4 = Dark Purple extending to unifoliate leaves ('Hodgson'; 'Coker Hampton 266A')

## 10. LEAFLET SHAPE:

1 = Lanceolate      2 = Oval      3 = Ovate      4 = Other (Specify) \_\_\_\_\_

## 11. LEAFLET SIZE:

☒ 21 = Small ('Amsoy 71'; 'A5312')  
3 = Large ('Crawford'; 'Tracy')

2 = Medium ('Corsoy 79'; 'Gasoy 17')

## 12. LEAF COLOR:

☒ 21 = Light Green ('Weber'; 'York')  
3 = Dark Green ('Gnome'; 'Tracy')

2 = Medium Green ('Corsoy 79'; 'Braxton')

## 13. FLOWER COLOR:

☒ 2

1 = White

2 = Purple

3 = White with purple throat

## 14. POD COLOR:

☒ 2

1 = Tan

2 = Brown

3 = Black

## 15. PLANT PUBESCENCE COLOR:

☒ 1

1 = Gray

2 = Brown (Tawny)

## 16. PLANT TYPES:

☒ 21 = Slender ('Essex'; 'Amsoy 71')  
3 = Bushy ('Gnome'; 'Govan')

2 = Intermediate ('Amcor'; 'Braxton')

## 17. PLANT HABIT:

☒ 3

1 = Determinate ('Gnome'; 'Braxton')

2 = Semi-Determinate ('Will')

3 = Indeterminate ('Nebsoy'; 'Improved Pelican')

## 18. MATURITY GROUP:

☐ 61 = 000  
9 = VI2 = 00  
10 = VII3 = 0  
11 = VIII4 = I  
12 = IX5 = II  
13 = X

6 = III

7 = IV

8 = V

## 19. DISEASE REACTION: (Enter 0 = Not Tested; 1 = Susceptible; 2 = Resistant)

## BACTERIAL DISEASES:

☐Bacterial Pustule (*Xanthomonas phaseoli* var. *sojensis*)☒ 1Bacterial Blight (*Pseudomonas glycinea*)☐Wildfire (*Pseudomonas tabaci*)

## FUNGAL DISEASES:

☒ 1Brown Spot (*Septoria glycines*)Frogeye Leaf Spot (*Cercospora sojina*)☐

Race 1

☐

Race 2

☐

Race 3

☐

Race 4

☐

Race 5

☐

Other (Specify)

☐Target Spot (*Corynespora cassiicola*)☐Downy Mildew (*Peronospora trifoliorum* var. *manshurica*)☐Powdery Mildew (*Microsphaera diffusa*)☒ 1Brown Stem Rot (*Cephalosporium gregatum*)☐Stem Canker (*Diaporthe phaseolorum* var. *caulivora*)

**19. DISEASE REACTION: (Enter 0 = Not Tested; 1 = Susceptible; 2 = Resistant) (Continued)****FUNGAL DISEASES: (Continued)**

☒ 1 Pod and Stem Blight (*Diaporthe phaseolorum* var; *sojae*)

☒ 1 Purple Seed Stain (*Cercospora kikuchii*)

☐ Rhizoctonia Root Rot (*Rhizoctonia solani*)

☐ Phytophthora Rot (*Phytophthora megasperma* var. *sojae*)

☐ Race 1 ☐ Race 2 ☐ Race 3 ☐ Race 4 ☐ Race 5 ☐ Race 6 ☐ Race 7

☐ Race 8 ☐ Race 9 ☐ Other (Specify) Heterogeneous, Rps 1-A

**VIRAL DISEASES:**

☐ Bud Blight (Tobacco Ringspot Virus)

☐ Yellow Mosaic (Bean Yellow Mosaic Virus)

☐ Cowpea Mosaic (Cowpea Chlorotic Virus)

☐ Pod Mottle (Bean Pod Mottle Virus)

☐ Seed Mottle (Soybean Mosaic Virus)

**NEMATODE DISEASES:**

Soybean Cyst Nematode (*Heterodera glycines*)

☒ 1 Race 1 ☒ 1 Race 2 ☒ 1 Race 3 ☒ 1 Race 4 ☐ Other (Specify) \_\_\_\_\_

☐ Lance Nematode (*Hoplolaimus Colombus*)

☐ Southern Root Knot Nematode (*Meloidogyne incognita*)

☐ Northern Root Knot Nematode (*Meloidogyne Hapla*)

☐ Peanut Root Knot Nematode (*Meloidogyne arenaria*)

☐ Reniform Nematode (*Rotylenchulus reniformis*)

☐ OTHER DISEASE NOT ON FORM (Specify): \_\_\_\_\_

**20. PHYSIOLOGICAL RESPONSES: (Enter 0 = Not Tested; 1 = Susceptible; 2 = Resistant)**

☐ Iron Chlorosis on Calcareous Soil Intermediate

☐ Other (Specify) \_\_\_\_\_

**21. INSECT REACTION: (Enter 0 = Not Tested; 1 = Susceptible; 2 = Resistant)**

☐ Mexican Bean Beetle (*Epilachna varivestis*)

☐ Potato Leaf Hopper (*Empoasca fabae*)

☐ Other (Specify) \_\_\_\_\_

**22. INDICATE WHICH VARIETY MOST CLOSELY RESEMBLES THAT SUBMITTED.**

CHARACTER	NAME OF VARIETY	CHARACTER	NAME OF VARIETY
Plant Shape	S30-41	Seed Coat Luster	S23-12
Leaf Shape	S35-35	Seed Size	S33-32
Leaf Color	A2943	Seed Shape	S33-32
Leaf Size	S33-32	Seedling Pigmentation	A2396



## 23. GIVE DATA FOR SUBMITTED AND SIMILAR STANDARD VARIETY: Paired Comparison Data

VARIETY	NO. OF DAYS MATURITY	PLANT LODGING SCORE	CM PLANT HEIGHT	LEAFLET SIZE		SEED CONTENT		SEED SIZE G/100 SEEDS	NO. SEEDS/POD
				CM Width	CM Length	% Protein	% Oil		
Submitted	125	2.0	89	5.7	10.1	37.8	23.5	16.7	2-3
S30-41 Name of Similar Variety	124	2.2	89	6.7	10.6	38.8	22.5	15.1	2-3

## PUBLICATIONS USEFUL AS REFERENCE AIDS FOR COMPLETING THIS FORM:

1. Caldwell, B.E., ed. 1973. Soybeans: Improvement, Production, and Uses. Amer. Soc. Agron. Monograph No. 16.
2. Buttery, B.R. and R.I. Buzzell. 1968. Peroxidase activity in seeds of soybean varieties. Crop Sci., 8: 722-725.
3. Hymowitz, T. 1973. Electrophoretic analysis of SBTI-A<sub>2</sub> in the USDA soybean germplasm collection. Crop Sci., 13: 420-421.
4. Payne, R.C. and L.F. Morris. 1976. Differentiation of soybean cultivars by seedling pigmentation patterns. J. Seed Technol. 1: 1-19.

**EXHIBIT E****Statement of the Basis of Applicant's Ownership**

Soybean variety S30-06 was developed from germplasm sources cited in Exhibit A of this application. Northrup King Co. believes that the variety is novel as defined in the Plant Variety Protection Act and, therefore, that Northrup King Co. is the sole owner of the variety.